

To: JAMES D WALKER[jd Ex. 6 - Personal Privacy]
Cc: Shari.Ring@cadmusgroup.com[Shari.Ring@cadmusgroup.com]
From: Rumrill, Nancy
Sent: Thur 8/10/2017 12:03:58 AM
Subject: RE: Suggested topics for Conference Call with Excelsior on August 10.

Hi Jim,

This looks good. Thank you for the lengthy discussion today regarding the draft permit conditions that I had questions on. I sent the agenda to Excelsior with one added comment for item 8 Attachment P that they could refer to Attachment A-1 figures and tables if the same as Attachment P. If these are not the same, let me know. I also noted that we are still considering the August 4 clarifications.

Thanks, Nancy

~~~~~



United States Environmental Protection Agency

*Nancy Rumrill (rumrill.nancy@epa.gov)*

*Drinking Water Protection Section (WTR-3-2)*

*US EPA, Region IX*

*75 Hawthorne St.*

*San Francisco, CA 94105*

*Phone (415) 972-3293*

**From:** JAMES D WALKER [mailto: Ex. 6 - Personal Privacy]  
**Sent:** Wednesday, August 9, 2017 3:59 PM  
**To:** Rumrill, Nancy <Rumrill.Nancy@epa.gov>

**Cc:** Shari.Ring@cadmusgroup.com

**Subject:** RE: Suggested topics for Conference Call with Excelsior on August 10.

## **Ex. 5 - Deliberative Process**

# Ex. 5 - Deliberative Process

There may be additional topics added on Thursday before the conference call as I review my comments on the revised permit application.

Thanks,

Jim

**From:** Rumrill, Nancy  
**Sent:** Wednesday, August 9, 2017 2:18 PM  
**To:** JAMES D WALKER  
**Subject:** FW: your call

~~~~~



Nancy Rumrill (rumrill.nancy@epa.gov)

Drinking Water Protection Section (WTR-3-2)

US EPA, Region IX

75 Hawthorne St.

San Francisco, CA 94105

Phone (415) 972-3293

From: Alison Jones [<mailto:ajones@clearcreekassociates.com>]
Sent: Wednesday, August 2, 2017 4:50 PM
To: Rumrill, Nancy <Rumrill.Nancy@epa.gov>
Cc: Rebecca Sawyer (rsawyer@excelsiormining.com) <rsawyer@excelsiormining.com>
Subject: RE: your call

Hi Nancy,

Those tables in the APP are in Word. I just copied them from the draft APP and put them in this document. We'll be getting the rest of the pieces to you tomorrow.

Alison

From: Rumrill, Nancy [<mailto:Rumrill.Nancy@epa.gov>]
Sent: Wednesday, August 02, 2017 1:48 PM
To: Alison Jones
Cc: Rebecca Sawyer (rsawyer@excelsiormining.com)
Subject: RE: your call

Hi Alison,

Per my phone call to you, you can just provide a new page 9 with the correct references in the application. This includes the corrections to the IMWs references for Tables P-3 and P-4. We would need an updated electronic copy of the revised application too.

In addition, I asked for the IMW Table (Table 2.5-1) from the draft APP. Although I said in my phone call with you that we have Table P-1 locational information for the Observation and Hydraulic Control Wells, I like the tables in the draft APP (Tables 2.5-2 and 2.5-3) better and would like a copy of these tables from you.

Let me know if you have any questions for me.

Thanks, Nancy

~~~~~



United States Environmental Protection Agency

*Nancy Rumrill ([rumrill.nancy@epa.gov](mailto:rumrill.nancy@epa.gov))*

*Drinking Water Protection Section (WTR-3-2)*

*US EPA, Region IX*

*75 Hawthorne St.*

*San Francisco, CA 94105*

*Phone (415) 972-3293*

**From:** Alison Jones [<mailto:ajones@clearcreekassociates.com>]

**Sent:** Wednesday, August 2, 2017 12:10 PM

**To:** Rumrill, Nancy <[Rumrill.Nancy@epa.gov](mailto:Rumrill.Nancy@epa.gov)>

**Cc:** Rebecca Sawyer ([rsawyer@excelsiormining.com](mailto:rsawyer@excelsiormining.com)) <[rsawyer@excelsiormining.com](mailto:rsawyer@excelsiormining.com)>

**Subject:** your call

Hi Nancy,

I got your voicemail about Attachment P. Specifically, on page 9, we referred to several drawings (p-2 through P-6). You are correct. We did not include them and it was an oversight.

The figures are exactly the same as A-13 through A-17 in Attachment A-1. We were just going to re-number them and put in Attachment P.

I can fix this one of two ways:

1—provide you with a new Page 9 for Att P that refers to Figures A-13 through 17

OR

2—Provide you with P-2 through 6.

Let me know your preference.

Alison

**Alison H. Jones, R.G.**

**Clear Creek Associates**

**221 N. Court Ave.**

**Tucson, AZ 85701**



**520-622-3222 office**

**520-270-2825 cell**

**520-622-4040 fax**

[www.clearcreekassociates.com](http://www.clearcreekassociates.com)